
mHealth Visual Discovery Dashboard

Dezhi Fang

College of Computing
Georgia Tech
dezhi.fang@gatech.edu

Fred Hohman

College of Computing
Georgia Tech
fred.hohman@gatech.edu

Peter Polack

College of Computing
Georgia Tech
ppolack@gatech.edu

Hillol Sarker

Dept. of Computer Science
University of Memphis
hsarker@memphis.edu

Minsuk Kahng

College of Computing
Georgia Tech, USA
kahng@gatech.edu

Moushumi Sharmin

Dept. of Computer Science
Western Washington University
Moushumi.Sharmin@wwu.edu

Mustafa al'Absi

University of Minnesota Medical
School
malabsi@d.umn.edu

Duen Horng Chau

College of Computing
Georgia Tech
polo@gatech.edu

Abstract

We present Discovery Dashboard, a visual analytics system for exploring large volumes of time series data from mobile medical field studies. Discovery Dashboard offers interactive exploration tools and a data mining motif discovery algorithm to help researchers formulate hypotheses, discover trends and patterns, and ultimately gain a deeper understanding of their data. Discovery Dashboard emphasizes user freedom and flexibility during the data exploration process and enables researchers to do things previously challenging or impossible to do — in the web-browser and in real time. We demonstrate our system visualizing data from a mobile sensor study conducted at the University of Minnesota that included 52 participants who were trying to quit smoking.

Author Keywords

Visual analytics; health informatics; time series data; motif discovery

ACM Classification Keywords

H.5.m [Information interfaces and presentation (e.g., HCI)]: Miscellaneous; J.3 [Computer Applications]: Life and Medical Sciences

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from Permissions@acm.org.

UbiComp/ISWC'17 Adjunct, September 11-15, 2017, Maui, HI, USA

© 2017 Association for Computing Machinery.

ACM ISBN 978-1-4503-5190-4/17/09. \$15.00

<https://doi.org/10.1145/3123024.3123170>



Figure 1: The Discovery Dashboard interface showing data from a mobile sensor study. Each row corresponds to one participant's data. A user-defined motif (for participant 6012) is selected, and the system automatically finds similar motifs across all participants and highlights them in yellow. This particular motif is a recurring pattern for participant 6012, often found near smoking lapses (vertical red dotted lines).

Introduction

When medical researchers conduct mobile sensor field studies, they often collect large amounts of time series data across many participants over prolonged periods of time. When incorporating data science techniques into the healthcare domain, making sense of the data collected from mobile health devices is essential for gaining actionable insights [3]. This volume of data (raw or pre-processed) can be overwhelming to a researcher seeking to gain such insights. For this reason, previous efforts such as TimeStitch often focus on high-level pattern summarization [2]. However, to test hypotheses and obtain a deep understanding of one's data, researchers need both low-level and high-level

exploration tools for visualizing raw data, interactively inspecting it to formulate hypotheses, and discovering trends and patterns.

To address both low-level and high-level exploration, we present *Discovery Dashboard*: a visual analytics system that offers intuitive visualization of mobile sensor time series data, supports multiple interaction techniques for data and pattern exploration, and integrates a data mining algorithm for motif discovery.

Mobile Sensor Dataset

We use data from a four day mobile sensor clinical study conducted at the University of Minnesota. The study aimed




Figure 2: The Discovery Dashboard contains a number of options that are accessible from the “Analyze Participants” button. Researchers can (1) align the data chronologically or by the first smoking lapse, (2) filter participants by name, number of lapses, and the day of their first lapse, and (3) search for time series motifs.

to uncover what causes relapse in cigarette smokers attempting to quit smoking. The research included a rich design to capture psychological, behavioral, biological, and physiological data related to stress, withdrawal symptoms, affect, and craving as well as lapse events for cigarette smokers attempting to quit [4]. From the 365MB dataset containing 52 participants, we visualize three time series (1 Hz) for each participant: inferred stress, physical activity, and heart rate, totaling 4.7M data points.

Discovery Dashboard System and Design

In Figure 1, Discovery Dashboard visualizes raw time series data of 52 participants, each represented by a single row, consisting of 24-hour blocks. Researchers can (1) align the time series by first smoking lapse, (2) filter participants by name, number of lapses, and the day of their first lapse, and (3) search for user-defined time series motifs (shown in Figure 2).

Discovery Dashboard is a web-based visualization system that can be run using any modern browser. However, using the web as a platform for making sense of large volume data presented interesting computational challenges. Below we describe some of our design decisions that enable the real time interactive experience in Discovery Dashboard.

Scalability for Interactive Exploration

To support interactive exploration on data with high resolution, Discovery Dashboard needs to scale to large datasets; therefore we introduced multiple caching layers to achieve such scalability. Discovery Dashboard uses a relational database (SQLite) for storing the raw data and a key-value store (Redis) for caching resampled data and motif results. Time series data are pre-processed and manipulated with the Pandas package in Python and motif data are calculated using the Symbolic Aggregate approXimation (SAX)

algorithm [1], a popular time series transformation method, written in Java. These services communicate via gRPC, a high performance remote procedure call (RPC) framework that transmits data using Google’s Protocol Buffers. Calculated data are then transmitted to the client through WebSockets, transformed with D3.js, and rendered to the browser with React.js for maximum client performance.

Motif Finding Algorithm

Finding motifs in time series data can be challenging, especially noisy data such as those collected from mobile sensor hardware. Discovery Dashboard uses the symbolic time series representation SAX algorithm [1] for its high performance when detecting latent patterns in noisy time series data. For example, in Figure 1, the zoomed in region under participant 6012 is used as motif query: similar patterns (highlighted in yellow) are found by SAX in the time series of participant 6012 and 6013, based on the patterns’ similar “shapes” to the initial query motif, rather than their absolute temporal values.

mHealth Time Series Alignment

Participants’ time series data visualized in Figure 1 are aligned by the experiment start date, a natural alignment helpful for understanding the overall patterns across participants. However, aligning the visualization by other user-defined events, such as smoking lapses (vertical red dotted lines in Figure 1), can also help gain insights. For example, by aligning the data by first smoking lapses, we can more easily compare the different patterns that participants exhibited right before and after lapses.

Demonstration Plan

We will engage our audience with the data described above by showing users a short live demo (refer to submitted video) that highlights the key visual analytics features and

motif discovering tool. We invite our audience to try Discovery Dashboard, turn themselves into analysts, and make discoveries. We will also collect usability feedback.

For example, users can align data chronologically and by participants' first lapse, use filtering techniques to narrow the participant data into particular cohorts, and define motifs from zoomed selection in order to find trends in the dataset.

Discussion and Ongoing Work

We are working to deploy Discovery Dashboard for health researchers and practitioners to evaluate the system's real-world usage. In addition, we are working to include Ecological Momentary Assessment (EMA) data into the Discovery Dashboard. EMA data are helpful for establishing qualitative contexts around the quantitative patterns that are measured using sensors. Exploring both sensor data and EMA data will allow us to gain additional insights that may not be offered by analyses separately performed for each data type.

Acknowledgements

We thank Soni Rraklli and Dayna Schleppebach for coordination of the study and data collection, and Andrine Lemieux for data preparation. Research supported by grant U54EB020404, awarded by the National Institute of Biomedical Imaging and Bioengineering (NIBIB) through funds from the trans-NIH Big Data to Knowledge (BD2K) initiative, and by the NSF GRFP under Grant No. DGE-1148903

REFERENCES

1. Jessica Lin, Eamonn Keogh, Li Wei, and Stefano Lonardi. 2007. Experiencing SAX: a novel symbolic representation of time series. *Data Mining and knowledge discovery* 15, 2 (2007), 107–144.
2. Peter J Polack, Shang-Tse Chen, Minsuk Kahng, Moushumi Sharmin, and Duen Horng Chau. 2015. TimeStitch: Interactive multi-focus cohort discovery and comparison. In *IEEE Conference on Visual Analytics Science and Technology (VAST)*. IEEE, 209–210.
3. Peter J Polack, Moushumi Sharmin, Kaya de Barbaro, Minsuk Kahng, Shang-Tse Chen, and Duen Horng Chau. 2017. Exploratory Visual Analytics of Mobile Health Data: Sensemaking Challenges and Opportunities. In *Mobile Health: Sensors, Analytic Methods, and Applications*, James M. Rehg, Murphy Susan A., and Santosh Kumar (Eds.). Vol. 1. Springer.
4. Nazir Saleheen, Amin Ahsan Ali, Syed Monowar Hossain, Hillol Sarker, Soujanya Chatterjee, Benjamin Marlin, Emre Ertin, Mustafa al'Absi, and Santosh Kumar. 2015. puffMarker: a multi-sensor approach for pinpointing the timing of first lapse in smoking cessation. In *Ubicomp'15*. ACM, 999–1010.